

AeroGraphics

The Original Aircraft Lettering Company



Beechcraft BeechJet 400 Exterior Kit PAGE 2 of 3

NOTE: Modifications and changes to accomodate your specific aircraft will be made at **NO EXTRA CHARGE**.
Partial kits available upon request.

IF YOU HAVE ANY QUESTIONS PLEASE CALL!

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065

<p>CAUTION DISCONNECT TORQUE ARM BEFORE TOWING RECONNECT AFTER TOWING</p> <p>CAUTION DISCONNECT TORQUE ARM BEFORE TOWING RECONNECT AFTER TOWING</p> <p>STATIC VENT KEEP CLEAR</p> <p>STATIC VENT KEEP CLEAR</p> <p>STATIC VENT KEEP CLEAR</p> <p>FIRE EXTINGUISHER DISCH. INDICATOR</p> <p>CAP. 7.7 LITERS 2.03 US GAL. CAUTION DO NOT MIX BRANDS OF OIL OIL</p>	<p>PITOT DRAIN PITOT DRAIN</p> <p>STATIC DRAIN STATIC DRAIN</p> <p>STATIC VENT KEEP CLEAR</p> <p>STATIC VENT KEEP CLEAR</p> <p>STATIC VENT KEEP CLEAR</p> <p>FUEL TANK FUEL TANK STATIC PRESSURE PORT</p> <p>SUMP DRAIN SUMP DRAIN KEEP CLEAR</p> <p>FUEL TANK FUEL TANK STATIC PRESSURE PORT</p> <p>SUMP DRAIN SUMP DRAIN KEEP CLEAR</p> <p>FUEL TANK FUEL TANK STATIC PRESSURE PORT</p> <p>SUMP DRAIN SUMP DRAIN KEEP CLEAR</p> <p>FUEL TANK FUEL TANK STATIC PRESSURE PORT</p> <p>SUMP DRAIN SUMP DRAIN KEEP CLEAR</p> <p>FUEL TANK FUEL TANK STATIC PRESSURE PORT</p> <p>SUMP DRAIN SUMP DRAIN KEEP CLEAR</p> <p>STATIC PRESSURE PORT KEEP CLEAR</p>	<p>PRECHARGE PRESSURE 500 50 PSI OPERATING PRESSURE 1500 PSI</p> <p>259.3 US GAL. 259.3 US GAL.</p> <p>AUX FUEL JET A-A1 OR JET B ONLY</p> <p>FUEL JET A-A1 OR JET B ONLY</p> <p>TO LATCH UPPER DOOR ROTATE HANDLE (INSIDE AIRCRAFT) TO HORIZONTAL POSITION</p> <p>OPEN STOW LOCK</p> <p>TANK & SUMP DRAINS TANK & SUMP DRAINS TANK & SUMP DRAINS</p> <p>TANK & SUMP DRAINS TANK & SUMP DRAINS TANK & SUMP DRAINS</p> <p>TANK & SUMP DRAINS TANK & SUMP DRAINS TANK & SUMP DRAINS</p> <p>TANK & SUMP DRAINS TANK & SUMP DRAINS TANK & SUMP DRAINS</p>
---	--	--

<p>FUEL JET A, JET A-1, JET B JP-4, JP-5 OR JP-8 305.8 GALLONS USABLE (1158 LITERS) FUEL ANTI-ICING ADDITIVE PER MIL-I-27686 REQUIRED SEE FLIGHT MANUAL FOR APPROVED FUELS, QUANTITY OF ADDITIVE AND FUELING PROCEDURES</p> <p>ENGINE OIL CAPACITY 2.03 US GAL. SEE P.O.H. FOR APPROVED OILS, ENTER OIL BRAND AND TYPE IN ENGINE LOG BOOK. DO NOT MIX BRANDS</p> <p>JET A, JET A-1, JET B JP-4, JP-5 OR JP-8 PFA 56 M5 ADDITIVE REQD. SEE FLT MANUAL APPROVED FUELS, QUANTITY OF ADDITIVE & PROCEDURE</p> <p>JET A, JET A-1, JET B JP-4, JP-5 OR JP-8 PFA 56 M5 ADDITIVE REQD. SEE FLT MANUAL APPROVED FUELS, QUANTITY OF ADDITIVE & PROCEDURE</p> <p>FUEL JET A-A1 OR JET B ONLY</p>	<p>CAP. 7.7 LITERS 2.03 US GAL. CAUTION DO NOT MIX BRANDS OF OIL OIL</p> <p>FUEL JET A, A1 OR JET B ONLY 1005.4 LITERS 265.6 U.S. GAL PFA 55 BM ADDITIVE REQD SEE OPS MANUAL FOR APPROVED FUELS, QUANTITY OF ADDITIVE AND FUELING PROCEDURES</p> <p>FUEL JET A, A1 OR JET B ONLY 1005.4 LITERS 265.6 U.S. GAL PFA 55 BM ADDITIVE REQD SEE OPS MANUAL FOR APPROVED FUELS, QUANTITY OF ADDITIVE AND FUELING PROCEDURES</p> <p>FUEL JET A, JET A-1, JET B, JP-4 OR JP-8 216.6 US GALLONS USABLE (800 LITERS) FUEL ANTI-ICING ADDITIVE PER MIL-I-27686 SEE FLT MANUAL FOR APPROVED FUELS, QUANTITY OF ADDITIVE AND FUELING PROCEDURE</p> <p>FUEL JET A, JET A-1, JET B, JP-4 OR JP-8 216.6 US GALLONS USABLE (800 LITERS) FUEL ANTI-ICING ADDITIVE PER MIL-I-27686 SEE FLT MANUAL FOR APPROVED FUELS, QUANTITY OF ADDITIVE AND FUELING PROCEDURE</p>	<p>AUX FUEL JET A-A1 OR JET B ONLY 460.5 LITERS 121.6 US GAL. PFA 55 MB ADDITIVE REQD. SEE OPS MANUAL FOR APPROVED FUELS, QUANTITY OF ADDITIVE AND FUELING PROCEDURES</p> <p>AUX FUEL JET A-A1 OR JET B ONLY 460.5 LITERS 121.6 US GAL. PFA 55 MB ADDITIVE REQD. SEE OPS MANUAL FOR APPROVED FUELS, QUANTITY OF ADDITIVE AND FUELING PROCEDURES</p> <p>FUEL JET A-A1 OR JET B ONLY 1005.4 LITERS 265 US GAL. PFA 55 MB ADDITIVE REQD. SEE OPS MANUAL FOR APPROVED FUELS, QUANTITY OF ADDITIVE AND FUELING PROCEDURES</p> <p>FUEL JET A-A1 OR JET B ONLY 1005.4 LITERS 265 US GAL. PFA 55 MB ADDITIVE REQD. SEE OPS MANUAL FOR APPROVED FUELS, QUANTITY OF ADDITIVE AND FUELING PROCEDURES</p>
---	---	---

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065



Beechcraft BeechJet 400 Exterior Kit

PAGE 3 of 3

NOTE: Modifications and changes to accommodate your specific aircraft will be made at NO EXTRA CHARGE.
Partial kits available upon request.


IF YOU HAVE ANY QUESTIONS PLEASE CALL!

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065

EMERGENCY EXIT

1. PUSH LOCK
2. PULL HANDLE
3. PUSH IN DOOR

FIRE EXTINGUISHER
DISCHARGE INDICATOR



EMERGENCY EXIT
EMERGENCY EXIT

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065